



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/158,076	09/22/1998	JUN ASADA	1046.1192/JD	3503

21171 7590 10/23/2003

STAAS & HALSEY LLP  
SUITE 700  
1201 NEW YORK AVENUE, N.W.  
WASHINGTON, DC 20005

EXAMINER

LONSBERRY, HUNTER B

ART UNIT PAPER NUMBER

2611

DATE MAILED: 10/23/2003

12

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/158,076

Applicant(s)

ASADA, JUN

Examiner

Hunter B. Lonsberry

Art Unit

2611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 10 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-8 and 10-17 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-8 and 10-17 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 22 September 1998 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.  
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  
\* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).  
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_ 6) ☐ Other: \_\_\_\_\_

**DETAILED ACTION**

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghorl in view of U.S. Patent 5,729,541 to Hamalainen and U.S. Patent 3,649,764 to Maillet.

Regarding claim 1, Ghorl discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation via Digital PCS (column 7, lines 7-32, column 9, lines 4-23), and a channel selection unit (column 7, lines 28-33), which utilizes frequency hopping to tune to an open channel at a specific time for the transfer of data, computer 415 includes Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, additionally computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and

Art Unit: 2611

downloading files from a remote computer) is well known since its release in August of 1995 (<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghori does not disclose monitoring the communications channels for finding a free channel or selecting a free channel starting from a lower numbered channel. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is formatted into a bitmap and sent out to a number of mobile stations, the mobile stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Maillet discloses a TDMA system, in which the bursts are automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30, column 4, lines 55-66). Therefore, it would have been obvious to one skilled in the art to modify the data transmission system of Ghori to utilize the free channel search and allocation system of Hamalainen and selecting a lowest numbered channel as taught by Maillet thereby reducing congestion on a radio based network by utilizing all available channels.

Regarding claim 2, Ghori discloses a wireless computer network in which data exchanged between two devices is encrypted prior to transmission (column 9, lines 3-6).

Regarding claim 6, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna and a monitor (column 6, lines 34-45) that displays the received information, a server 605 with a Digital

Art Unit: 2611

Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-50, column 9, lines 4-23), and a channel selection unit (column 7, lines 28-33), which utilizes frequency hopping to tune to an open channel at a specific time for the transfer of data computer 415 includes Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and downloading files from a remote computer) is well known since its release in August of 1995

(<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghori does not disclose monitoring the communications channels for finding a free channel or selecting a lowest numbered free channel. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is formatted into a bitmap and sent out to a number of mobile stations, the mobile stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Maillet discloses a TDMA system, in which the bursts are automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30,

Art Unit: 2611

column 4, lines 55-66). Therefore, it would have been obvious to one skilled in the art to modify the data transmission system of Ghori to utilize the free channel search and allocation system of Hamalainen and selecting a lowest numbered channel as taught by Maillet thereby reducing congestion on a radio based network by utilizing all available channels.

Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen and U.S. Patent 3,649,764 to Maillet in further view of U.S. Patent 5,732,074 to Spaur.

Regarding claim 3, Ghori discloses a wireless computer network that can be connected to the Internet (column 6, lines 7-14). The combined system of Ghori and Hamalainen does not disclose the exchange of HTML data between computers within the network. Spaur discloses a wireless network in Figure 2 that consists of a web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), and utilizes HTML as a common file format. Therefore it would have been obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen and Maillet to include the web server of Spaur to provide web pages to a remote vehicle via a wireless link so that the status of a vehicle at any time can be determined remotely and so that new instructions can be provided to a driver.

Claims 4, 5, 7, and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen

Art Unit: 2611

and U.S. Patent 3,649,764 to Maillet in further view of U.S. Patent 5,732,074 to Spaur and U.S. Patent 5,974,449 to Chang.

Regarding claim 4, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna and a monitor (column 6, lines 34-45) that displays the received information, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23), computer 415 includes Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and downloading files from a remote computer) is well known since its release in August of 1995 (<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghori does not disclose the use of an identifier and mail-editing unit that sends a return message to a device based upon that identifier nor does Ghori disclose monitoring the communications channels for finding a free channel or transmitting data on a lowest numbered free channel. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is formatted into a bitmap and sent out to a number of mobile stations, the mobile

Art Unit: 2611

stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Spaur discloses a wireless network in Figure 2 that consists of a web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), each vehicle has a unique IP address assigned to it which is used to identify it for the transfer of information (column 11, 27-39). Maillet discloses a TDMA system, in which the bursts are automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30, column 4, lines 55-66). Chang discloses a system which transmits messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may user a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email, they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify Ghori to include both the free channel monitoring and reservation system of Hamalainen, selecting a lowest numbered



Art Unit: 2611

channel as taught by Maillet as well as the IP Addressing system, as taught by Spaur and the email and IP features of Chang, so that each mobile device would have a unique identifier in order to protect the privacy of users on a network by only sending a message to its intended recipient and maximizing the use of all available free channels..

Regarding claim 5, Ghori discloses a wireless computer network that makes use of encryption when sending messages between devices, data which is transmitted can only be decoded by a device which has access to the appropriate decode key (column 7, lines 20-50).

Regarding claim 7, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23). Ghori does not disclose the use of an email-editing unit for creating a return mail to a broadcast device. Chang discloses a system which transmits messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may use a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email,

Art Unit: 2611

they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Maillet discloses a TDMA system, in which the bursts are automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30, column 4, lines 55-66). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen and Maillet to include an email program on the computers as taught by Chang within the wireless network for emailing messages to the central server, so that the wireless users can inform the server operator of any problems they are having while utilizing the network.

Regarding claim 8, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23). Ghori does not disclose the use of an identifier and mail-editing unit that sends a return message to a device based upon that identifier. Spaur discloses a wireless network in Figure 2 that consists of a web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), each vehicle has a unique IP address assigned to it which is used to identify it for the transfer of information (column 11, 27-39). Chang discloses a system which transmits

Art Unit: 2611

messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may use a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email, they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen and Maillet to include the IP Addressing system as taught by Spaur and email and IP features of Chang to so that each device would have a unique identifier in order to protect the privacy of users on a network by only sending a message to its intended recipient.

Claims 10, 11, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen, U.S. Patent 3,649,764 to Maillet and U.S. Patent 4,555,806 to Lange.

Regarding claim 10, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area,

Art Unit: 2611

both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation via Digital PCS (column 7, lines 7-32, column 9, lines 4-23), and a channel selection unit (column 7, lines 28-33), which utilizes frequency hopping to tune to an open channel at a specific time for the transfer of data, computer 415 includes Ghori discloses the use of Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and downloading files from a remote computer) is well known since its release in August of 1995 (<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghori does not disclose monitoring the communications channels for finding a free channel or a channel-displaying unit displaying the free channels retrieved. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is formatted into a bitmap and sent out to a number of mobile stations, the mobile stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Lange discloses a transmitter receiver pair which scans a number of channels to see which channels are free, the free channels are then displayed on a CRT (column 1, lines 21-59, column 4, line 49-column 5, line 38). Maillet discloses a TDMA system, in which the bursts are

Art Unit: 2611

automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30, column 4, lines 55-66). Therefore, it would have been obvious to one skilled in the art to modify the data transmission system of Ghori to utilize the free channel search and allocation system of Hamalainen and displaying the free channels as taught by Lange enabling a user to select a free channel thereby reducing congestion on a radio based network by utilizing all available channels.

Regarding claim 11, Ghori discloses a wireless computer network in which data exchanged between two devices is encrypted prior to transmission (column 9, lines 3-6).

Regarding claim 15, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna and a monitor (column 6, lines 34-45) that displays the received information, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-50, column 9, lines 4-23), ), and a channel selection unit (column 7, lines 28-33), which utilizes frequency hopping to tune to an open channel at a specific time for the transfer of data, computer 415 includes Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or

Art Unit: 2611

download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and downloading files from a remote computer) is well known since its release in August of 1995

(<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghori does not disclose monitoring the communications channels for finding a free channel or displaying the channels retrieved. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is formatted into a bitmap and sent out to a number of mobile stations, the mobile stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Lange discloses a transmitter receiver pair which scans a number of channels to see which channels are free, the free channels are then displayed on a CRT (column 1, lines 21-59, column 4, line 49-column 5, line 38).

Maillet discloses a TDMA system, in which the bursts are automatically allocated the lowest numbered channel, if that channel is full, in which case the next lowest numbered slot is assigned (column 2, line 74-column 3, line 30, column 4, lines 55-66).

Therefore, it would have been obvious to one skilled in the art to modify the data transmission system of Ghori to utilize the free channel search and allocation system of Hamalainen and lowest numbered channel of Maillet and retrieved channels as taught by Lange thereby reducing congestion on a radio based network by utilizing all available channels.

Claim 16 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen and U.S. Patent 4,555,806 to Lange and U.S. Patent 3,649,764 to Maillet in further view of U.S. Patent 5,974,449 to Chang.

Regarding claim 16, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23). Ghori, Hamalainen, Maillet and Lange do not disclose the use of an email-editing unit for creating a return mail to a broadcast device. Chang discloses a system which transmits messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may use a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email, they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Therefore, it would have been

Art Unit: 2611

obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen, Maillet and Lange to include an email program as taught by Chang on the computers within the wireless network for emailing messages to the central server, so that the wireless users can inform the server operator of any problems they are having while utilizing the network.

Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen, U.S. Patent 3,649,764 to Maillet and U.S. Patent 4,555,806 to Lange in further view of U.S. Patent 5,732,074 to Spaur.

Regarding claim 12, Ghori discloses a wireless computer network that can be connected to the Internet (column 6, lines 7-14). The combined system of Ghori, Hamalainen and Lange does not disclose the exchange of HTML data between computers within the network. Spaur discloses a wireless network in Figure 2 that consists of a web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), and utilizes HTML as a common file format. Therefore it would have been obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen, Maillet and Lange to include the web server of Spaur to provide web pages to a remote vehicle via a wireless link so that the status of a vehicle at any time can be determined remotely and so that new instructions can be provided to a driver.



Claims 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghorri in view of U.S. Patent 5,729,541 to Hamalainen and U.S. Patent 4,555,806 to Lange in further view of U.S. Patent 5,732,074 to Spaur.

Regarding claim 13, Ghorri discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna and a monitor (column 6, lines 34-45) that displays the received information, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23), computer 415 includes Storage 435 which stores digital data including applications, the windows 95 operating system, and may be used for manipulating text, numbers and graphics, computer 415 may connect to a LAN or the internet (column 4, line 46-column 6, line 24). The use of the Windows 95 operating system to create or download files via included Windows95 applications such as notepad/WordPad (for creating text documents) and telnet (for connecting and downloading files from a remote computer) is well known since its release in August of 1995 (<http://members.fortunecity.com/pcmuseum/windows.htm>). Ghorri does not disclose the use of an identifier and mail-editing unit that sends a return message to a device based upon that identifier nor does Ghorri disclose monitoring the communications channels for finding a free channel or displaying a retrieved channel listing. Hamalainen discloses in Figures 10 and 13, a system which monitors radio channels to find out which channels are free and which are reserved, this data is

Art Unit: 2611

formatted into a bitmap and sent out to a number of mobile stations, the mobile stations then finds a free channel in order to transmit data, transmits a channel request and transmits the data (column 7, lines 1-21, 61- column 8, line 14, column 8, lines 34-61, column 9, lines 24-37). Spaur discloses a wireless network in Figure 2 that consists of a web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), each vehicle has a unique IP address assigned to it which is used to identify it for the transfer of information (column 11, 27-39) Lange discloses a transmitter receiver pair which scans a number of channels to see which channels are free, the free channels are then displayed on a CRT (column 1, lines 21-59, column 4, line 49-column 5, line 38). Chang discloses a system which transmits messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may use a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email, they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify Ghori to include both the free channel monitoring and reservation

Art Unit: 2611

system of Hamalainen, displaying retrieved channels as taught by Lange as well as the IP Addressing system, as taught by Spaur, to the mobile computer so that each device would have a unique identifier in order to protect the privacy of users on a network by only sending a message to its intended recipient and maximizing the use of all available free channels..

Regarding claim 14, Ghori discloses a wireless computer network that makes use of encryption when sending messages between devices, data which is transmitted can only be decoded by a device which has access to the appropriate decode key (column 7, lines 20-50).

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,282,714-B1 to Ghori in view of U.S. Patent 5,729,541 to Hamalainen, U.S. Patent 3,649,764 to Maillet and U.S. Patent 4,555,806 to Lange in further view of U.S. Patent 5,732,074 to Spaur.

Regarding claim 17, Ghori discloses in Figure 6, a computer 415 (column 6, lines 34-44) with a Digital Transceiver 490 connected to an antenna, a server 605 with a Digital Transceiver 635 coupled to an antenna in server 605 and a file storage area, both transceivers are used for transmitting and receiving encrypted data between the two devices utilizing spread spectrum modulation and via Digital PCS (column 7, lines 7-32, column 9, lines 4-23). Ghori, Hamalainen, Maillet and Lange does not disclose the use of an identifier and mail-editing unit that sends a return message to a device based upon that identifier. Spaur discloses a wireless network in Figure 2 that consists of a

Art Unit: 2611

web server 102 with a TCP/IP stack 98 and a number of vehicles 50n (column 6, lines 1-16, column 3, lines 13-24), each vehicle has a unique IP address assigned to it which is used to identify it for the transfer of information (column 11, 27-39). Chang discloses a system which transmits messages from a number of different platforms, email messages may be sent over the internet or an intranet and use the IP protocol, a user may use a workstation 140 or pc 138 to create an email or other message to be sent to an intended recipient, a recipient may be identified by an email address, the domain name of the email address (for example, USPTO.GOV) is resolved to an IP address of a mail server via the domain name system scheme, the message is then transmitted to that mail server (column 4, line 1-column 6, line 23), when a user wants to retrieve their messages, such as email, they may connect to the internet, they are then assigned a permanent or temporary IP address, which uniquely identifies their computer for the duration of their session, and the user receives a notification that they have email (column 7, line 62-column 8, line 48). Therefore, it would have been obvious to one skilled in the art at the time of invention to modify the combined system of Ghori, Hamalainen, Maillet and Lange to include the IP Addressing system as taught by Spaur and email features of Chang so that each device would have a unique identifier in order to protect the privacy of users on a network by only sending a message to its intended recipient.

### ***Conclusion***

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 2611

U.S. Patent 6,009,247 to Canora: Portable Computer Network.


U.S. Patent 5,950,136 to Scott: System and Method for Routing Data Calls in a Cellular Network.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hunter B. Lonsberry whose telephone number is 703-305-3234. The examiner can normally be reached on Monday-Friday during normal business hours.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Faile can be reached on 703-305-4380. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4700.

HBL

  
ANDREW FAILE  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600